

Receiving Report

Date: 14/8/08
 Supplier: Tempo

Batch No: MBP 987
 Dart P/O: 23919

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☐
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC18 Inspection ☐ N/A ☒
 Work Order ☐ N/A ☐

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

Production/Admin:

Date

Received/Costing

Initial

Location



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23919

Purchase Order Date 4/24/2014

PO Print Date 4/24/2014

Page Number 1 of 1

Order From :

TEMPO AEROSPACE INC.
205 FENMAR DR.
TORONTO, ON M9L 2X4
CA

VC-TEM001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

416 746 2233

Ship To Contact

Ship To Phone

Ship Via:

Purolator ground collect

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

FAKED
24/04/14

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	71400-11	DEF-23377-1-N-1GKT AQUA GREEN PRIMER	5/9/2014 Yes 5/9/2014		4.00 Each	\$289.15	\$1,156.60
Procurement Quality Clauses A005 RIGHT OF ENTRY A012 CHEMICAL AND PHYSICAL TEST REPORTS A013 SHELF LIFE CONTROLLED MATERIAL; 80% SHELF LIFE REQUIRED AT RECEIPT A026 CERTIFICATION OF MATERIAL CONFORMANCE A041 QUALITY MANAGEMENT SYSTEM A043 RETENTION OF QUALITY DOCUMENTS							

Line Total: \$1,156.60

Deliver To: ANDY

PO Total: \$1,156.60

CLM

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

1

Change Date: 4/24/2014

PRC-DeSoto International, Inc.

PRC-DeSoto International, Inc. 17451 Von Karman Ave, Irvine, California 92614 (949) 474-0400 / Fax (949) 474-7269


CERTIFICATE OF CONFORMANCE

PRC-DeSoto International, Inc. certifies that the materials shipped on the sales order/purchase order listed below have been tested and conforms with requirements of the applicable specification for the

These materials have a two year shelf life from the base component date of manufacture.

Copies of the test report and certification are on file and available for inspection.

Customer:	TEMPO AEROSPACE INC.	
Purchase Order:	305164	
Sales Order:	4210166	
Order Line:	1	
Part Number:	02GN084 GK	Quantity: 8.00
Customer Part Number:	N/A	
Fed Std 595 Color #:	N/A	
Specification:	MIL-PRF-23377K TY 1, CL N	
Batch Number:	99460/99461	
Mfg Date:	10/24/2013	
Date Shipped:	11/04/2013	
MSDS:	N/A	



Barbara B. Addisson Asst. Vice-President

Note: This certifies that the signature on this certification is the original.

**Test Report for MIL-PRF-23377K, Types I & II, Class C 1, 2 & N
Formerly MIL-PRF-23377J, Types I & II, Class C 1, 2 & N Amendment 2**

FED STD 595 Color: GREEN Date: 12-Sep-13
Deft Code, Base: 02GN084 Deft Code, Catalyst: 02GN084CAT
Batch No., Base: 98594 Batch No., Catalyst: 98595
Customer:
Contract/PO Number:

TEST REQUIREMENTS

TEST RESULTS

Composition (3.4)

Lead metal or compounds
Incedental Cadmium and compounds

<0.05% by weight

Chromium Content (3.4.1.3) [class N only] \leq 5 ppm

< 1 ppm

Volatile Content (3.4.2) - 340 G/L maximum

<5ppm

208g/L

Physical Component Properties (3.5)

Fineness of Grind (3.5.1) - 5 min
Condition in Container (3.5.2)

5

Conforms

Physical Admixed Properties (3.6)

Color (3.6.1)

Conforms for Type

Odor (3.6.2)

Characteristic

Viscosity (3.6.3), Admixed - 40" max in #4 Ford Cup

25.87

Pot Life (3.6.4), After 4 hrs. 70" max in #4 Ford Cup

37.5

Physical Film Properties (3.7)

Surface Appearance (3.7.1)

No Abnormalities

Drying Time (3.7.2)

1. Tack Free, 5 hours maximum

5 Hours

2. Dry-Hard, 8 hours maximum

8 Hours

Lifting (3.7.3)

No Lifting

Adhesion (3.7.4), in water 24 hrs @ room temp

No Peeling

Flexibility (3.7.5) 10% minimum, GE Impacter

10%

Infrared reflectance (3.7.5) - [Type II only] 700-2600nm

N/A

Resistance Properties (3.8)

Water Resistance (3.8.1) 4 days @ 120 deg F

No Deficiency

Solvent Resistance (3.8.3) min 25 double MEK rubs

>25 MEK rubs

Fluid Resistance (3.8.4)

1. MIL-PRF-23699, 24 hours @ 250 deg F.

No Deficiency

2. MIL-PRF-83282, 24 hours @ 150 deg F.

No Deficiency

Working Properties (3.9)

Mixing and Dilution (3.9.1)

No Separation

Application (3.9.2)

No Sags or Runs

I certify that these test were performed in accordance with the specification test procedure and that the test results in this report as submitted are true, valid and represent required for the above mentioned batch numbers.

SIGNED:

Andy Lez

TITLE: Q.C. Technician

DEFT CHEMICAL COATINGS, 17451 VON KARMAN AVE., IRVINE, CA 92614



NW 10-02-13